| | Hits | Search Text | DBs |
|---|---|---|---|
| 1 | 186 | (cashless with transaction).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 139 | S1 and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 7 | S2 and encrypt$ and decrypt$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 3 | S3 and mobile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 664 | (cashless).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 470 | S5 and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 58 | S6 and mobile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 12 | S7 and encrypt$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 9 | S8 and decrypt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 1 | ("9648382").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 0 | ("648382.ap.").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 6 | "648382".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 2 | "6457038".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 4393 | (payment with transaction).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 214 | (payment and transaction and credit and mobile).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 98 | S15 and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|  | Hits | Search Text | DBs |
|---|---|---|---|
| 17 | 19 | S16 and authenticat$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 8 | S17 and code | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 2 | S17 and graphic$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 2 | S18 and graphic$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 16064 | (sim or smart) adj card and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 5568 | S21 and credit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 2530 | S22 and encrypt$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 1506 | S23 and decrypt$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 5568 | S21 and credit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 16064 | (sim or smart) adj card and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | 5319 | ((sim or smart) adj card) same credit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 111 | S27 same encrypt$ same decrypt$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 30 | S28 and (bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | 16 | S29 and radio | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | 7 | S30 and pda | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | 1 | S31 and (rsa or ecc) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|  | Hits | Search Text | DBs |
|---|---|---|---|
| 33 | 3444 | ((sim or smart) adj card) same credit and (@pd<"20010201" or @ad<"20010201" or @rlad<"20010201" or @prad<"20010201" or @rlpd<"20010201") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | 735 | S33 and (encrypt$ same decrypt$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | 319 | S34 and radio | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | 127 | S35 and (rsa or ecc) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | 66 | S36 and pda | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | 22 | S37 and (bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | 4 | S38 and algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | 2 | S39 and graphic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |